

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	((monitor\$4 or test\$5) with ((engine\$1 or generator\$1) or ((aux\$6 or generating) near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (simulat\$6 with power with failure\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:06
L3	0	(remote\$3 with monitor\$4 with fuel\$1) and (monitor\$3 with (generator\$1 or engine\$1)) and (simulat\$6 with power with fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:33
L4	1363	(702/188).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:34
L5	578	(702/189).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:34
L6	307	(702/127).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:35
L7	614	(702/108).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:35
L8	129	(702/116).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:36
L9	104	l4 and ((monitor\$3 or test\$5) with (generator\$1 or backup\$1 or (back adj up\$1) or engine\$1 or (aux\$7 near2 power)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:38
L10	4	l4 and ((monitor\$3 or test\$5) with (generator\$1 or backup\$1 or (back adj up\$1) or engine\$1 or (aux\$7 near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:38

L11	2	I5 and ((monitor\$3 or test\$5) with (generator\$1 or backup\$1 or (back adj up\$1) or engine\$1 or (aux\$7 near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:39
L12	0	I6 and ((monitor\$3 or test\$5) with (generator\$1 or backup\$1 or (back adj up\$1) or engine\$1 or (aux\$7 near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:39
L13	3	I7 and ((monitor\$3 or test\$5) with (generator\$1 or backup\$1 or (back adj up\$1) or engine\$1 or (aux\$7 near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:39
L14	3	I8 and ((monitor\$3 or test\$5) with (generator\$1 or backup\$1 or (back adj up\$1) or engine\$1 or (aux\$7 near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:39
S1	395	(remote\$3 with monitor\$4 with fuel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 07:09
S3	40	(remote\$3 with monitor\$4 with fuel\$1) and generator\$1 and ((alternating near current\$1) or "ac" or "a.c.")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:34
S4	1552	(bellsouth or (bell adj south)).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 10:48
S5	79	(bellsouth or (bell adj south)).asn. and generator\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 10:48
S6	10	(bellsouth or (bell adj south)).asn. and generator\$1 and fuel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 10:49

S7	7	(bellsouth or (bell adj south)).asn. and generator\$1 and fuel\$1 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 11:59
S8	70	(monitor\$4 with fuel\$1) and generator\$1 and ((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near (monitor\$1 or gage\$1 or gauge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 12:00
S9	9	(monitor\$4 with fuel\$1) and generator\$1 and ((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near (monitor\$1 or gage\$1 or gauge\$1)) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 11:56
S10	7	(bellsouth or (bell adj south)).asn. and fuel\$1 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 11:59
S11	165	(monitor\$4 with fuel\$1) and (((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near (monitor\$1 or gage\$1 or gauge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 12:04
S12	0	(monitor\$4 with fuel\$1) and (((alternating near current\$1) or "ac" or "a.c.") with plant\$1) and (fuel\$1 near (monitor\$1 or gage\$1 or gauge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 12:03
S13	13	(monitor\$4 with fuel\$1) and (((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near (monitor\$1 or gage\$1 or gauge\$1)) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:16
S14	12	((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near (monitor\$1 or gage\$1 or gauge\$1)) and server\$1 and (((monitor\$1 or gage\$1 or gauge\$1) with network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 12:08
S16	69	(remote\$3 with monitor\$4 with fuel\$1) and ((alternating near current\$1) or "ac" or "a.c.")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 12:42
S17	12	(remote\$3 with monitor\$4 with fuel\$1) and ((alternating near current\$1) or "ac" or "a.c.") and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 12:46

S18	12	(remote\$3 with monitor\$4 with fuel\$1) and ((alternating near current\$1) or "ac" or "a.c.") and server\$1 and (fuel\$1 with (monitor\$3 or gage\$1 or gage\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 12:52
S19	68	(monitor\$4 with fuel\$1) and ((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near (monitor\$1 or gage\$1 or gauge\$1)) and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 14:25
S20	3	(remote\$2 with data with acquisition\$3) and (fuel\$1 near (monitor\$1 or gage\$1 or gauge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:49
S21	80	generator\$1 and ((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1)) and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 14:38
S22	132	generator\$1 and ((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1)) and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:34
S23	12	generator\$1 and ((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1)) and remote\$2 and (request\$4 with fuel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:10
S24	34	generator\$1 and ((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1)) and remote\$2 and (display\$3 with fuel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:24
S25	23	generator\$1 and ((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1)) and remote\$2 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 06:51
S26	10	((alternating near current\$1) or "ac" or "a.c.") and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1)) and (server\$1 same fuel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 07:06

S27	2	"20020134083"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 07:06
S28	72	(remote\$3 with monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:22
S29	27	(remote\$3 with monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 07:54
S30	0	S27 and ((alternating near current\$1) or "ac" or "a.c.")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 07:11
S31	0	(remote\$3 with monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 07:54
S32	0	(remote\$3 with monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 07:54
S33	2	"20040107415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 07:54
S34	24	(remote\$3 with monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (gui\$1 or (user adj interfac\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 07:55
S35	3114	(monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:22
S36	639	(monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:22

S37	174	(monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (remote\$2 with monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 15:51
S38	12	(monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (remote\$2 with monitor\$3) and (gui\$1 or (graphical near2 interfac\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:24
S39	62	(remote\$3 with monitor\$4 with fuel\$1) and (monitor\$3 with (generator\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:07
S40	13	(remote\$3 with monitor\$4 with fuel\$1) and (monitor\$3 with (generator\$1 or engine\$1)) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:35
S41	34	(remote\$3 with monitor\$4 with fuel\$1) and (monitor\$3 with (generator\$1 or engine\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:36
S42	13	(remote\$3 with monitor\$4 with fuel\$1) and (monitor\$3 with (generator\$1 or engine\$1)) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 15:47
S43	2463	(monitor\$4 with (engine\$1 or generator\$1)) and (("dc" or "d.c." or (direct adj current\$1)) with (engine\$1 or generator\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:28
S44	188	(monitor\$4 with (engine\$1 or generator\$1)) and (("dc" or "d.c." or (direct adj current\$1)) with (engine\$1 or generator\$1)) and (remote\$2 with monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:29
S45	13	(monitor\$4 with (engine\$1 or generator\$1)) and (("dc" or "d.c." or (direct adj current\$1)) with (engine\$1 or generator\$1)) and (remote\$2 with monitor\$3) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:29

S46	50	(monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (remote\$2 with monitor\$3) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:02
S47	8	(monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (remote\$2 with monitor\$3) and server\$1 and (gui\$1 or (graphical\$4 near2 (display\$4 or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:03
S48	100	(monitor\$4 with (engine\$1 or generator\$1)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and server\$1 and network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:21
S50	27	S48 and (gui\$1 or (graphical\$4 near2 (display\$4 or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:03
S51	0	(monitor\$4 with ((aux\$6 or generating) near2 power)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and server\$1 and network\$1 and (gui\$1 or (graphical\$4 near2 (display\$4 or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:15
S52	0	(monitor\$4 with ((aux\$6 or generating) near2 power)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and server\$1 and (gui\$1 or (graphical\$4 near2 (display\$4 or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:17
S53	0	(monitor\$4 with ((aux\$6 or generating) near2 power)) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (service adj provider\$1) and (gui\$1 or (graphical\$4 near2 (display\$4 or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:17

S54	104	((monitor\$4 or test\$5) with ((engine\$1 or generator\$1) or ((aux\$6 or generating) near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and server\$1 and network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:22
S55	139	((monitor\$4 or test\$5) with ((engine\$1 or generator\$1) or ((aux\$6 or generating) near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (server\$1 or (service adj provider\$1)) and network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:23
S56	160	((monitor\$4 or test\$5) with ((engine\$1 or generator\$1) or ((aux\$6 or generating) near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (server\$1 or (service adj provider\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:23
S57	73	((monitor\$4 or test\$5) with ((engine\$1 or generator\$1) or ((aux\$6 or generating) near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (server\$1 or (service adj provider\$1)) and (remote\$2 with monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 16:24
S58	75	((monitor\$4 or test\$5) with ((engine\$1 or generator\$1) or ((aux\$6 or generating) near2 power))) and (fuel\$1 near2 (monitor\$1 or gage\$1 or gauge\$1 or sensor\$1 or level\$1)) and (server\$1 or (service adj provider\$1)) and (remote\$2 with (monitor\$3 or test\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 07:05